

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

1529July 29, 1904

Tampico, Mexico, and taken the same day to Las Animas Hospital as suspicious. No yellow fever has developed in them.

Mortuary	report of	Habana	for the	week	ended	July	16, 1	904.

Disease.	Number of deaths.
Tuberculosis	12
Meningitis	6
Pneumonia Enteritis	7
Cancer	3
Paludic fever Gangrene Enteric fever	į
Enteric fever	

Total number of deaths, 115.

Report from Matanzas—No increase in scarlet fever—Street-cleaning service not adequate.

Acting Assistant Surgeon Nuñez reports, July 18, as follows:

During the week ended July 16, 1904, five bills of health were issued to vessels bound for ports in the United States.

One case of diphtheria has been the only contagious disease reported during the week. No new cases of scarlet fever have been

reported.

The sanitary condition of this city is beginning to show the immediate effects of the recent reduction of the force in the sanitary department. Accumulation of filth and dust, prevalence of foul odors, and increase in the number of mosquitoes are noticed everywhere, due to the lack of proper sweeping, irrigations, and other measures of sanitation no longer carried out as heretofore.

It is said that some efforts are being made in Congress to restore the sanitary status to its normal conditions, but so far the desired end has

not been reached.

The mortuary statistics of the city of Matanzas for the second ten days of the present month, not yet available, will be submitted with my next report.

Reports from Santiago—Street-cleaning force not adequate.

Acting Assistant Surgeon Wilson reports, July 13, as follows: During the week ended July 9, 1904, bills of health were issued to

6 vessels bound for the United States.

One of these, the steamship Drumelzier, was first given bill of health No. 101, June 19. It went twice to Daiquiri without going alongside of wharf, besides postponing its departure twice before starting. last time it returned it took a partial cargo at wharf. After consulting with the consul we made out a new bill of health, No. 109, July 8.

No quarantinable disease has been reported.

The striking street sweepers and cart drivers returned to work, the alcalde having acted as mediator. This morning there are 30 street sweepers and 15 garbage carts on duty. This number is insufficient, and consequently the streets are dirty and the garbage is not regularly collected.

July 29, 1904 1530

Mortuary report for the week ended July 9, 1904.

Cause of death.	Num- ber.	Ber- tillon num- ber.
Pernicious fever	2	4
Tubercle of lungs	2	27
Cancer of the liver	1	40 82
Plauro-maumonia	1 1	93
Diarrhea and enteritis, under 2 years.	4	105
Diarrhea and enteritis, chronic	2	105a
Peritonitis	$\frac{1}{2}$	116 120
Diarrhea and enteritis, under 2 years Diarrhea and enteritis, chronic Peritonitis Bright's disease Unspecified or ill-defined	1	179
Total		

Annual rate of mortality for the week, 20.57 per 1,000. Estimated population, 45,500.

Mortuary report for the week ended July 16, 1904.

Cause of death.	Number.	Bertillon number.
Tuberculosis Cancer of uterus. Addison's disease. Pericarditis Organic heart disease Bronchitis Gastric ulcer. Entero colitis, under 2 years. Athrepsia. Entero-colitis, 2 years and over. Intestinal obstruction Cirrhosis Senile debility. Total	1 1 3	21 44 55 77 75 90 100 105 100 115 115

Annual rate of mortality for the week, 26.28 per 1,000. Estimated population, 45,500.

Report for month of June, 1904.

Bills of health issued	14
Crews	459
Passengers	214
Deaths from yellow fever	0
Deaths from other contagious diseases	0
Deaths from all causes (stillbirths not counted)	112
Cases of quarantinable diseases reported in city	0
Cases of other contagious diseases reported in city	0

The number of bills of health issued per month has been gradually diminishing during this second quarter. The dull season is about to begin.

Mortality in June, 1904.

In June there were 112 deaths, an increase of 24 over May, but it is still 9 below the number for June, 1903. This increase, like that of last year, is due principally to the increase in diarrheal diseases, of which this June there were 36. Of these, 33 were of children under 2 years old.

During the week ended July 16, 1904, bills of health were issued to

3 vessels bound for the United States.

No quarantinable disease has been reported.

The sanitary condition of the city, as I have reported several times lately, is not good. The newspapers are keeping up an active agitation and publish articles on this subject two or three times a week.